





Salient Features

- Shock Proof ABS Body
- Flow Breaker Easy Lock Jars
- Silicon/Nitrile Rubber Gaskets
- Overload Protection
- Special coating on body for great aesthetics
- Three Speed with pulse
- Special grade Nylon couplers for firm grip
- Computerised Balanced Motor
- Study ergonomically designed handle
- Food Grade Stainless Steel Polished Jars

Voltage	Power Input (Watt)	Speed (RPM)	Rating
230V A.C. 50 Hz.	550 W	18000 Approx	30 Minute

Salient Features

- Shock Proof ABS Body
- Flow Breaker Easy Lock Jars
- Silicon/Nitrile Rubber Gaskets
- Overload Protection
- · Special coating on body for great aesthetics
- Three Speed with pulse
- Special grade Nylon couplers for firm grip
- Computerised Balanced Motor
- Study ergonomically designed handle
- Food Grade Stainless Steel Polished Jars

Voltage	Power Input (Watt)	Speed (RPM)	Rating
230V A.C. 50 Hz.	750 W	18000 Approx	30 Minute







Salient Features

- Shock Proof ABS Body
- Flow Breaker Easy Lock Jars
- Silicon/ Nitrile Rubber Gaskets
- Overload Protection
- Special coating on body for great aesthetics
- Three Speed with pulse
- Special grade Nylon couplers for firm grip
- Computerised Balanced Motor
- Study ergonomically designed handle
- Food Grade Stainless Steel Polished Jars

Voltage	Power Input (Watt)	Speed (RPM)	Rating
230V A.C. 50 Hz.	1000 W	18000 Approx	30 Minute







- Special coating on body for great aesthetics
- Three Speed with pulse
- Special grade Nylon couplers for firm grip
- Computerised Balanced Motor
- Study ergonomically designed handle
- Food Grade Stainless Steel Polished Jars





Voltage	Power Input (Watt)	Speed (RPM)	Rating
230V A.C. 50 Hz.	1250 W	18000 Approx	30 Minute





- Overload Protection
- Special coating on body for great aesthetics
- Three Speed with pulse
- Special grade Nylon couplers for firm grip
- Computerised Balanced Motor
- Study ergonomically designed handle
- Food Grade Stainless Steel Polished Jars





Voltage	Power Input (Watt)	Speed (RPM)	Rating
230V A.C. 50 Hz.	1500 W	18000 Approx	30 Minute







Salient Features

- Shock Proof ABS Body
- Flow Breaker Easy Lock Jars
- Silicon/Nitrile Rubber Gaskets
- Overload Protection
- Special coating on body for great aesthetics
- Three Speed with pulse
- Special grade Nylon couplers for firm grip
- Computerised Balanced Motor
- Study ergonomically designed handle
- Food Grade Stainless Steel Polished Jars





	Voltage	Power Input (Watt)	Speed (RPM)	Rating
4	230V A.C. 50 Hz.	2000 W	18000 Approx	30 Minute





TECHNICAL DATA Voltage: 230V. A.C.50 Hz.

Motor: Universal Heavy Duty Dynamically Balanced Material of Housing: Shock proof High Quality A.B.S

Blade Assemblies : Food Grade Stainless Steel, Machine Ground and Polished Jars : Food Grade Stainless Steel Polished

HANDLE WITH CARE



Two Lids with Gaskets, Spatula, Instruction Manual /

Nigeria Office:

- Tel. No.: + 234 700 111 1010 Middle East Office :
- Tel. No.: + 971 55 8940054


 Email: info@gsrelectric.com

 Website:www.gsrelectric.com



















- Shock Proof ABS body
- . Flow Breaker Easy Lock Jars
- Silicon/Nitrile Rubber Gaskets.
- Overload protection Special coating on body for
- great aesthetics Three Speed with pulse
- firm grip Computerised Balanced Motor
- · Study ergonomically designed handles





GOLDEN BLACK







TECHNICAL DATA: Voltage: 230V, A.C,50 Hz.
Power: 850W
RPM: 18000 Approx. (Under no load). Rating : 30 minute
Motor : Universal Heavy Duty Dynamically Balanced Material of Housing: Shock proof High Quality A.B.S Material of Dome: Polycarbonate Material of Lids: PP

Material of Gaskets: High Grade Silicon Material of Coupler: Nylon-66 Blade Assemblies: Food Grade Stainless Steel, Machine Ground and Polished Jars : Food Grade Stainless Steel Polished Speed : Three Speed with Incher (pulse)

HANDLE WITH CARE

CONTENTS: Basic Unit, 3 Stainless Steel Jars,
Dry Grinding Blade, Wet Grinding Blade, Chutney Blade,
Whipping Blade, One Dome with Ring, Two Lid with
Gasket Spatula, Instruction Manual Warranty Card

- CUSTOMER CARE
 Nigeria Office:

 Tel. No.: + 234 700 111 1010
- Middle East Office :

 Tel. No.:+971 55 8940054
- Email:info@gsrelectric.com

 Website:www.gsrelectric.com

Perfect choice for tasty and healthy food!









- Shock Proof ABS body
- Flow Breaker Easy Lock Jars
 Silicon/Nitrile Rubber Gaskets.
- Overload protection Special coating on body for great aesthetics
- Three Speed with pulse Special grade Nylon couplers for
- firm grip



Perfect choice for tasty and healthy food!





850W



WINNER











TECHNICAL DATA: Voltage: 230V, A.C,50 Hz. Power: 650W

RPM: 18000 Approx. (Under no load).

Rating: 30 minute

Motor: Universal Heavy Duty Dynamically Balanced Material of Housing: Shock proof High Quality A.B.S Material of Dome: Polycarbonate

Material of Lids : PP Material of Gaskets: High Grade Silicon

Material of Coupler: Nylon-66 Blade Assemblies: Food Grade Stainless Steel,

Machine Ground and Polished


Jars: Food Grade Stainless Steel Polished Speed: Three Speed with Incher (pulse)

HANDLE WITH CARE ③ ♥ ♠ ♠ ♠

CONTENTS: Basic Unit, 2 Jars: One Small Mix Dry Grinding Blade, Wet Grinding Blade, Chutney Blade, Grating / Mixing Blade, Spatula, Instruction Manual / Warranty Card

CUSTOMER CARE Nigeria Office:

- ☐ Tel. No.: + 234 700 111 1010 Middle East Office:
- Tel. No.: + 971 55 8940054
- Email:info@gsrelectric.com Website:www.gsrelectric.com









Perfect choice for tasty and healthy food!







HIGH PERFORMANCE SUPER SHARP BLADES **MULTI UTILITY JARS**









- Shock Proof ABS body
- Flow Breaker Easy Lock Jars
- Silicon/Nitrile Rubber Gaskets.
- Overload protection
- · Special coating on body for great aesthetics
- Three Speed with pulse
- · Special grade Nylon couplers for firm grip Computerised Balanced Motor Study ergonomically designed handles

Due to continuous improvement in product, actual color, shape and accessories may differ from one shown in this box